

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"318"/\$.ccls. and ((brushless or (permanent adj magnet) or synchronous) adj2 motor) and (\$6controller or \$6processor) and (voltage adj divider) and (fet or mosfet) and ((voltage near3 drop) with (modif \$6 or chang\$3 or adjust\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/22 10:58
L2	21	("4686436"). URPN.	USPAT	OR	ON	2009/05/22 12:00
L3	30	("3152462" "3284692" "3293532" "3531702" "3566148" "3577057" "3838329" "4020361" "4161023" "4169990" "4197489" "4208706" "4250544" "4296362" "4302717" "4302807" "4308577" "4403174" "4403177" "4415844" "4479078" "4493017" "4494049" "4495450" "4520255" "4521705").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 12:08

L4	30	("3152462" "3284692" "3293532" "3531702" "3566148" "3577057" "3838329" "4020361" "4161023" "4169990" "4197489" "4208706" "4250544" "4296362" "4302717" "4302807" "4308577" "4403174" "4403177" "4415844" "4479078" "4493017" "4494049" "4495450" "4520255" "4521705").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 12:08
L5	25	(2 or 3) and (voltage near3 (reduc\$6 or decreas\$3 or drop \$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/22 12:10
L6	10	5 and (voltage adj divider)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/22 12:10
S1	711	motor and rotor and stator and (mosfet or fet or (field adj effect adj transistor)) and (noise with (reduc \$6 or minimiz\$6 or decreas\$3 or eliminat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:01
S2	392	S1 and "318"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:02

S3	189	S2 and (\$5processor or \$5controller) and (filter or (resist\$3 near3 capacit\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:03
S4	7	S3 and (variable adj2 resist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:03
S5	0	S4 and (pinch adj2 off)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:16
S6	0	S4 and chop\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:16
S7	5	S4 and (current near3 (magnitude or intensity))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:17
S8	10	US-5191299-\$. DID. OR US- 5374857-\$.DID. OR US-5939863-\$. DID. OR US- 6020715-\$.DID. OR US-6377109-\$. DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:26
S9	0	S8 and (variable adj2 resist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:30
S10	0	S8 and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:30
S11	5	S7 and filter and (variable adj2 resist \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 12:31
S12	5	S7 and (noise with (reduc\$6 or minimiz\$6 or decreas\$3 or eliminat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/09/16 13:52
S13	713	motor and rotor and stator and (mosfet or fet or (field adj effect adj transistor)) and (noise with (reduc \$6 or minimiz\$6 or decreas\$3 or eliminat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:12

S14	393	S13 and "318"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:12
S15	190	S14 and (\$5processor or \$5controller) and (filter or (resist\$3 near3 capacit\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:12
S16	7	S15 and (variable adj2 resist\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:12
S17	5	S16 and (current near3 (magnitude or intensity))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:12
S18	5	S17 and (current with (constant or noise or spike))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/10/06 11:12
S19	0	ep-0892492-\$. did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/21 14:22
S20	0	ep-00892492-\$. did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/21 14:22
S21	0	ep-00986167-\$. did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/21 14:22
S22	0	ep-0986167-\$. did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/21 14:22

5/ 22/ 09 12:43:42 PM

C:\ Documents and Settings\ rleykin\ My Documents\ EAST\ Workspaces\ 10-597585.
wsp